

**BERTINA**

SMALL ROUND

LED bulkhead lamp with round shape and **no visible screws**. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for wall and ceiling installation. Supplied with TÜV-CB certified, long-life, efficient and **Kelvin settable GX53 LED lamps included**. Insulation class II, Protection rating IP66.



BERTINA  
1B1.000

*Plafoniera circolare a LED senza viti a vista. Realizzata in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete e a soffitto. Fornita con **incluse lampadine a LED GX53 con Kelvin impostabile** certificate TÜV-CB, di lunga durata ed elevata efficienza, disponibili in diverse potenze. Classe di isolamento II, grado di protezione IP66.*



1B1.000.D1K

**CCT SETTABLE**

3000 K

4000 K

6500 K

SDCM &lt;6



**BERTINA - COMPONENTS**

IP 66



**COVER** with no visible screws made of shockproof resin material, UV-rays stabilized.

**COVER** senza viti a vista realizzata in resina antiurto stabilizzata ai raggi UV.



Opal **DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA) screwed to the bulkhead base.

**DIFFUSORE** opale realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV da avvitare alla base della plafoniera.



**BASE** made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with GX53 lampholder and with silicone rubber gasket to ensure high protection against external agents.

**BASE** realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalampe GX53 e di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

**BERTINA**



**Dimensions and weight**

Diameter: Ø 200 mm  
Depth: 70 mm  
Weight: 0,6 Kg

**Moulded colours:**

Black  White  Grey

**Diffuser PMMA:**

Opal

**LED LAMPS**



Comply with: EU2019/2015  
EU2019/2020  
Technical details on page 596.



**GX53 LED**


100 - 240 V



Bulkhead supplied **fully pre-wired** complete with TÜV-CB certified, long-life, efficient and **Kelvin settable GX53 LED lamp included**. Different wattages available. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** GX53 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** driver fully protected against heat and humidity by silicone paste.

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	COLOUR TEMP.	*ADD. SUFFIX
	<b>3 W</b>	<b>410 lm</b>	6500 K	.G1K
			4000 K	
			3000 K	
	<b>10 W</b>	<b>1290 lm</b>	6500 K	.D1K
			4000 K	
			3000 K	


 **3W** = **40W**  
410 Lm = incandescent

**SAVE 93%**

 **10W** = **100W**  
1290 Lm = incandescent


**SAVE 90%**

**CCT SETTABLE LED LAMP**



CCT switch settable in three different positions, to select the desired Kelvin temperature (3000K/4000K/6500K) and get a customized ambience.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE




1B1.000.D1K



1B1.000.D1K

**BERTINA**  
SMALL ROUND





BERTINA	
<b>3W</b>	1B1.000.G1K
<b>10W</b>	1B1.000.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 45  
Kg 30  
mc 0,194