




LED Outdoor Wall Lamp



H27069 Series
IP65



Item Code	P (W)	CCT(K)	Color	Beam angle	Output (lm)	lm/w	Hole Size (mm)	Dimensions in mm		kg
								A	B	
H27069-BK	4	3000	Black	45°	30	7.5	□ 70x70	83	45	0.17
H27069-WH	4	3000	White	45°	30	7.5	□ 70x70	83	45	0.17
H27069-GR	4	3000	Gray	45°	30	7.5	□ 70x70	83	45	0.17

Dimensions in mm






Description:
LED Outdoor Wall Lamp

Main material:
Aluminum+Engineering plastics


Specification
Energy saving, up to 85% energy saving comparing to standard halogen and incandescent lamps
High quality light, high color rendering, less heat, no UV or IR radiation
Build-in LED Driver
IP65

Applications


- . Park
- . Square
- . Tourist attraction
- . Corridor




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Illuminance at a Distance



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.




1




2

Turn off the power




3

Drill a holes on your wall




4

Fixing the base box




5

Connect the cable




6

Installation completed



7

Installation completed



8

Turn on power

