



HV-ST24-120-9W-3000K


LED Strip Light



| Item Code | Input Voltage | Watt | Lm/M | Cutting | LED QTY | LED Type | Beam Angle | IP | CCT |
|----------------------|---------------|------|---------|---------|---------|----------|------------|------|---|
| HV-ST24-120-9W-3000K | DC24V | 9W/M | 873lm/m | 50mm | 120Pcs | SMD | 120° | IP20 | 3000K ■ |

Dimensions in mm







Description:
LED Strip Light


Main material:
SMD, Resistor, Aluminum plate

Specification:
Energy saving, up to 85% energy saving comparing to standard halogen and in candescent lamps Long life, up to 30,000 hours High quality light, High color rendering, less heat.

Applications
.Signboard
.The ceiling
.Building external wall




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Beam Angle(50%) C0-180,C90-270: 118.7 deg,118.0 deg

C0-180 ——— C90-270 ———

Illuminance at a Distance



LED Strip Power Supply


| Item Code | Input Voltage (AC) | Input Current (A) | Output Voltage (DC) | Output Current (A) | IP | Watt |
|----------------------|--------------------|-------------------|---------------------|--------------------|----|------|
| NR-PS-60W | 100-240V | 0.6A | 24V | 2.5A | 20 | 60 |
| NR-PS102-24V-60W | 100-240V | 0.6A | 24V | 2.5A | 20 | 60 |
| NR-PS102-24V-60-IP65 | 100-240V | 0.6A | 24V | 2.5A | 65 | 60 |
| NR-PS-100W | 100-240V | 1A | 24V | 4.2A | 20 | 100 |
| NR-PS102-24-150W | 100-240V | 1.5A | 24V | 6.3A | 20 | 150 |
| NR-PS-150W | 100-240V | 1.5A | 24V | 6.2A | 20 | 150 |
| NR-PS-360W | 100-240V | 3.6A | 24V | 15A | 20 | 360 |



NOTE: the power supply should not exceed 80% of the rated power for long periods of time!




NR-PS-60W



NR-PS102-24V-60W



NR-PS102-24V-60-IP65



NR-PS-100W



NR-PS102-24-150W

















NR-PS-150W



NR-PS-360W

Recommended spare parts

Aluminium Profile

| Picture | Item Code | Cross section dimension in mm | Match LED strip lights size |
|---|-----------|--|-----------------------------|
|  | NR-355 |  | Max 12mm |
|  | NR-XT-210 |  | Max 12mm |
|  | XT-226 |  | Max 10mm |
|  | XT-263 |  | Max 12mm |
|  | XT-283 |  | Max 10mm |
|  | PXG-506 |  | Max 8mm |
|  | PXG-618 |  | Max 12mm |

