



LED Ceiling Lamp


MX2986-60



IP20



| Item Code | P (W) | CCT(K) | Color | Dimensions in mm | | | kg |
|-----------|-------|--------|------------|------------------|------|-----|-----|
| | | | | A | B | C | |
| MX2986-60 | 29 | 3000 | Black+Gold | Φ600 | Φ540 | 300 | 3.0 |
| MX2986-80 | 43 | 3000 | Black+Gold | Φ800 | Φ740 | 370 | 3.4 |

Dimensions in mm





Description:

LED Ceiling Lamp

Main material:


Iron+aluminum+acrylic









Specification

Using high quality aluminum suction tray, integrated molding, multiple processes are sturdy and durable, creating a delicate and simple texture. Electroplated iron process lamp body seamless docking, solid and stable structure with strong wear resistance, and improved grade and texture. Nano light guide frosted acrylic face mask uniform light transmission, bright light, not dazzling, heat-resistant, and easy to clean. IP 20

Applications

- . Bedroom
- . restaurant
- . living room



| | |
|---|---|
|  |  <p>1 Turn off the power</p> |
|  <p>2 Drill holes in the wall insert expansion screws</p> |  <p>3 To install the hanging board</p> |
|  <p>4 Connecting the power cord</p> |  <p>5 Tighten the screws from all four sides</p> |
|  <p>6 Installation completed</p> |  <p>7 Turn on the power</p> |

