



Waterproof Junction Box

NR-M2068S Series
IP68




Item Code	Rated Voltage	Rated Current(A)	IP	Wire Section	Outer Cable Diameter	Temperature Range	kg
NR-M2068S-2T-A	450V	24A	IP68	0.5-2.5mm ²	4-9mm,9-12mm,12-15mm	-40°C-+105°C	0.2
NR-M2068S-2T	450V	40A	IP68	0.5-6mm ²	M20:5-9mm,9-12mm M25:5-9mm,9-12mm,10-14mm	-40°C-+105°C	0.1
NR-M2068S-3T	450V	40A	IP68	0.5-6mm ²	M20:5-9mm,9-12mm M25:5-9mm,9-12mm,10-14mm	-40°C-+105°C	0.11
NR-M2068S-4TA	450V	40A	IP68	0.5-6mm ²	M20:5-9mm,9-12mm M25:5-9mm,9-12mm,10-14mm	-40°C-+105°C	0.12
NR-M2068S-4TB	450V	40A	IP68	0.5-6mm ²	M20:5-9mm,9-12mm M25:5-9mm,9-12mm,10-14mm	-40°C-+105°C	0.12
NR-M2068S-5T	450V	40A	IP68	0.5-6mm ²	M20:5-9mm,9-12mm M25:5-9mm,9-12mm,10-14mm	-40°C-+105°C	0.13
NR-M2068S-6T	450V	40A	IP68	0.5-6mm ²	M20:5-9mm,9-12mm M25:5-9mm,9-12mm,10-14mm	-40°C-+105°C	0.15


Dimensions in mm




Item Code:NR-M2068S-2T-A




Item Code:NR-M2068S-2T




Item Code:NR-M2068S-3T




Item Code:NR-M2068S-4TA




Item Code:NR-M2068S-4TB




Item Code:NR-M2068S-5T



Item Code:NR-M2068S-6T



6	Self-tapping Screw	Stainless Steel	Natural Color	3
5	M16 Locking Nut	PA66	Black	6
4	Silicon Seal Ring	Silicone	Green	6
3	M20 Locking Nut	PA66	Black	6
2	Silicone Seal Ring	Silicone	Green	6
1	Housing	PA66	Black	1
No.	Product Name	Description		Quantity





Description:
Waterproof Junction Box


Main material:
PA66+Silicone

Specification
Excellent material, durable
IP68


Applications

- . Park
- . Square
- . Pool






1




2

Turn off the power




3

Connecting cable "L", "N", "⚡"




4

Connecting cable "L", "N", "⚡"



5

Installation surface cover



6

Turn on power

