






## LED Magnetic Track System

NR-PS-48V Series  
IP20




Item Code	P(W)	Using Track	Color	Input	Output Current	Dimensions in mm			kg
						A	B	C	
NR-S20-PS-48V-100W	100	NR-S20	Black/White	AC220-240V 50/60Hz Max:0.5A	DC48V ∓ 2A Max	240	22	43	0.26
NR-S20-PS-48V-200W	200	NR-S20	Black/White	AC220-240V 50/60Hz Max:1A	DC48V ∓ 4A Max	310	22	43	0.36
NR-S35-PS-48V-100W	100	NR-S35	Black/White	AC220-240V 50/60Hz Max:0.5A	DC48V ∓ 2A Max	153	35	68	0.47
NR-S35-PS-48V-200W	200	NR-S35	Black/White	AC220-240V 50/60Hz Max:1A	DC48V ∓ 4A Max	182	35	68	0.56


### Dimensions in mm




NR-S20-PS-48V-100W



NR-S20-PS-48V-200W










NR-S35-PS-48V-100W









NR-S35-PS-48V-200W








**NR-S20/S35 Accessories**

Picture	Item Code	Material	Size in mm	Hole Size (mm)	
	NR-S20	Aluminum	50*26*1500 50*26*3000		1.34 2.68
	NR-S35	Aluminum	75*38*1500 75*38*3000		1.86 3.72
	NR-F20-S20	Aluminum	50*41*1500 50*41*3000	30*1500 30*3000	1.40 2.80
	NR-F35-S35	Aluminum	75*54*1500 75*54*3000	40*1500 40*3000	1.90 3.80
	NR-S20-C20	Aluminum	60*48*1500 60*48*3000	35*1500 35*3000	1.45 2.90
	NR-S35-C35	Aluminum	70*74*1500 70*74*3000	45*1500 45*3000	1.90 3.80








**NR-S20/S35 Accessories**

Picture	Item Code	Material	Size in mm	
	NR-S20-C20-CAP	PC	46*26*10	0.01
	NR-S35-C35-CAP	PC	72*38*11	0.02
	NR-S20-CAP	PC	50*27* 6	0.01
	NR-S35-CAP	PC	72*38* 6	0.02
	NR-S20-S35-CONNECT-ACS	Aluminum	60 *20*5	0.02



**NR-S20/S35 Accessories**


Picture	Item Code	Material	Size in mm	
	NR-S20-L	Aluminum	50*65*65	0.06
	NR-S35-L	Aluminum	75*67*67	0.09
	NR-F20-S20-L-Ceiling	Aluminum	50*68*68	0.06
	NR-F35-S35-L-Ceiling	Aluminum	75*73*73	0.09
	NR-S20-L-Wall	Aluminum	27*76*76	0.06
	NR-S35-L-Wall	Aluminum	38*90*90	0.07










**NR-S20/S35 Accessories**

Picture	Item Code	Material	Size in mm	
	NR-S20-S35-POWER	PC	148*15* 17	0.05
	NR-S20-S35-CONNECT	PC	148*15* 17	0.02
	NR-L-CONNECT	PC	450*15* 17	0.05
	NR-F20-S20-ACS	Iron	70*54* 23	0.05
	NR-F35-S35-ACS	Iron	100*54* 23	0.06
	Wire-1M	Iron	1M	0.07
	Wire-2M		2M	0.08

Accessory usage diagram





	 <p><b>1</b> Turn off the power</p>	 <p><b>2</b> Cut a 30 x 1500 slot in the ceiling</p>
 <p><b>3</b> Lock the clasp to the bottom of the track</p>	 <p><b>4</b> Turn the clasp upside down, put the track into the ceiling, and release the clasp to secure</p>	
 <p><b>5</b> connect the cable</p>	 <p><b>6</b> Install DC48V power supply</p>	
 <p><b>7</b> Install lamp the Installation is complete</p>	 <p><b>8</b> Turn on power</p>	



