




LED Magnetic Track System


NR-S35-DL105-6 Series

IP20



Item Code	P(W)	Using Track	Total Lumen	Beam Angle	Dimensions in mm			kg
					A	B	C	
NR-S35-DL105-6	6	NR-S35	426	24°	147.5	34	70	0.17
NR-S35-DL105-10	10	NR-S35	710	24°	272	34	70	0.32
NR-S35-DL105-15	15	NR-S35	1155	24°	538	34	70	0.55
NR-S35-DL105-30	30	NR-S35	2700	24°	1104	34	70	0.95
NR-S20-DL105-10	10	NR-S20	710	24°	294	23	43	0.20
NR-S20-DL105-15	15	NR-S20	1155	24°	582	23	43	0.35

Dimensions in mm






Anti-glare design, no damage to eyes when looking directly at lamps, high light lens, uniform light without spot.



Strong magnet adsorption track, safe and stable not easy to fall.




Description:
LED Magnetic Track System


Main material:
Aluminum shell, engineering plastic

Specification:
Energy saving, up to 85% energy saving comparing to standard halogen and incandescent lamps
High quality light, high color rendering, less heat, no UV or IR radiation
Build-in LED Driver

Applications
.Office
.Meeting room
.Sitting room




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 20.7 DEG

Illuminance at a Distance




Model:NR-S35-DL105-6

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 23.5 DEG

Illuminance at a Distance




Model:NR-S35-DL105-10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 24.2 DEG

Illuminance at a Distance




Model:NR-S35-DL105-15

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 21.6 DEG

Illuminance at a Distance




Model:NR-S35-DL105-30

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 21.5 DEG

Illuminance at a Distance




Model:NR-S20-DL105-10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



AVERAGE BEAM ANGLE (50%) : 20.4 DEG

Illuminance at a Distance



Model:NR-S20-DL105-15

