


Surface Tracks Accessories

NR-TL130 Series
IP20



Item Code	Colour	Material	Max Weight	Dimensions in mm			
				A	B	C	
NR-TL130-WH	White	Iron	5Kg	Φ98	575	575-1040	0.3
NR-TL130-BK	Black	Iron	5Kg	Φ98	575	575-1040	0.3



Dimensions in mm




Surface Tracks

Item Code	Color	Installation Type	Dimensions in mm			
			A	B	C	
NR-TL110-1-M-WH	White	Surface	1000	34	20	0.41
NR-TL110-1-M-BK	Black	Surface	1000	34	20	0.41
NR-TL110-2-M-WH	White	Surface	2000	34	20	0.84
NR-TL110-2-M-BK	Black	Surface	2000	34	20	0.84
NR-TL110-7-M-WH	White	Surface	7000	34	20	3.10
NR-TL110-7-M-BK	Black	Surface	7000	34	20	3.10

Dimensions in mm





Description:


Surface Tracks Accessories


Main material:

Engineering plastic and high quality aluminum.

Applications



- .Shopping mall
- .Office buildings
- .Exhibition hall
- .Public lighting places





1

Turn off The Power





2

Drill 4 holes in the ceiling

3

Installing hanging boards





4

Thread the wires through the suspension pole

5

Fixed suspension rod



6

Fix the guide rail to the suspension rod

7

Connect the cable

