



NOORCO نوركو

Meshkati مشكاتي
Lighting & electricity للإضاءة والكهرباء


LED Outdoor Buried Lamp NR-WG102 Series IP65




Item Code	P(w)	CCT (K)	Total Lumen	Beam Angle	Dimensions in mm			
					A	B	C	
NR-WG102-9	9	6500/4000/3000	585	30°	78	300	90	293x78x90mm 1.7
NR-WG102-15	15	6500/4000/3000	1075	30°	78	500	90	493x78x90mm 2.6
NR-WG102-24	24	6500/4000/3000	1776	30°	78	1000	90	993x78x90mm 4.5



Dimensions in mm





304 stainless steel surface frame



Double waterproof construction IP65





Description:
LED Buried Lamp
Construction


Main material:
Stainless steel shell, engineering fireproof plastic shell,
honeycomb anti-dazzle net

Specification:
Energy saving, upto 85% energy saving comparing to standard
halogen and incandescent lamps Long life, upto 50,000 hours
High quality light, high color rendering, less heat, no UV or IR
radiation

Applications
Garden
Square
Other Outdoor Area




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 32.8 DEG

Illuminance at a Distance




Model:NR-WG102-9

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 33.5 DEG

Illuminance at a Distance




Model: NR-WG102-15

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM







AVERAGE BEAM ANGLE (50%) : 34.9 DEG



Illuminance at a Distance




Model:NR-WG102-24





1



2



3



4

5

