


LED Outdoor Wash Wall Lamp


NR-WS103-1M-60-RGB


IP65



Item Code	P(W)	CCT(K)	Total Lumen	LM/W	Beam Angle	Dimensions in mm			kg
						A	B	C	
NR-WS103-1M-60-RGB	60	RGB+3000K	1800	30	24°	1000	43	85	1.33

Dimensions in mm





Description:

LED Wall Wash Lamp

Main material:


Die-cast aluminum+ glass cover

Specification:


Energy saving, up to 85% energy saving comparing to standard halogen and in candescent lamps Long life, up to 30,000 hours High quality light, High color rending, less heat, no UV or IR radiation Build-in LED driver.

Applications

- .Lawn
- .Garden
- .Building external wall




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM









AVERAGE BEAM ANGLE (50%) : 28.2 DEG

Illuminance at a Distance



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

 <p>1</p>	 <p>2 Turn off the power</p>
 <p>3 Drill Four screw holes on the wall</p>	 <p>4 Adjust light Angle the Installation completed</p>
 <p>5 Wiring diagram</p>	 <p>6 Turn on the power</p>

