





## LED OUTDOOR BURIED LAMP


NRP-WG103 Series  
IP67



Item Code	P (W)	PF	CCT(K)	Output (lm)	lm/w	Hole Size (mm)	Dimensions in mm			kg
							A	B	C	
NRP-WG103-12	12	≥0.8	3000	816	68	320x95x113	330	105	113	0.47
NRP-WG103-24	24	≥0.8	3000	1776	74	520x95x113	530	105	113	1.25
NRP-WG103-50	50	≥0.9	3000	3700	74	1020x95x113	1030	105	113	4.4

### Dimensions in mm







**Description:**  
LED OUTDOOR BURIED LAMP

**Main material:**  
Aluminum+Engineering plastics


**Specification**  
Energy saving, up to 85% energy saving comparing to standard halogen and incandescent lamps  
High quality light, high color rendering, less heat, no UV or IR radiation  
Build-in LED Driver  
IP67

**Applications**  


- . Park
- . Square
- . Tourist attraction
- . Corridor




# LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## Illuminance at a Distance




# LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## Illuminance at a Distance



# LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## Illuminance at a Distance

