

## LED OUTDOOR WALL LAMP

W2814/1


IP65




Outdoor	AC 220-240V	50/60 Hz	PF ≥0.7	CCT 3000K	Ra ≥80	IP65	Beam Angel 180°	Chips SMD	
---------	----------------	-------------	------------	--------------	-----------	------	-----------------------	--------------	--

Item Code	P (W)	CCT(K)	Beam angle	Output (lm)	lm/w	Dimensions in mm			
A	B	C							kg
W2814/1	7	3000	180°	455	65	95	85	105	0.33

### Dimensions in mm














**Description:**  
LED OUTDOOR WALL LAMP

**Main material:**  
Aluminum+Engineering plastics

**Specification**  
Energy saving, up to 85% energy saving  
comparing to standard halogen and incandescent  
lamps  
High quality light, high color rendering, less heat,  
no UV or IR radiation  
Build-in LED Driver  
IP65

**Applications**  
• Park  
• Square  
• Tourist attraction  
• Corridor



 <p><b>1</b></p>	 <p><b>2</b> Turn off the power</p>
 <p><b>3</b> Drill 3 holes on your wall</p>	 <p><b>4</b> Install the screw</p>
 <p><b>5</b> Connect the cable</p>	 <p><b>6</b> Fixing the lamp body</p>
 <p><b>7</b> Installation completed</p>	 <p><b>8</b> Turn on power</p>

