

NOORCO
PLUS
Plano Series



 8004300030

NOORCO
PLUS
Plano Series

Product Catalogue



Customer Service Center.8004300030


ABOUT NOORCO PLUS

NOORCO PLUS brings the best of international quality to your home, office, leisure environments. The range encompasses futuristic design with cutting edge technology. Easy of installation have been considered in developing this range.

The design has graceful curves that blend well with surfaces, a significant departure from the boxed-in look available in the market. This elegant simplicity sets new standards in the design of accessories.



CB Certificate



Certifications



White



Large panel design



Flame retardant PC




Tin phosphor bronze



Four colors available

NOORCO
PLUS
Plano Series



NOORCO
PLUS
Plano Series

White



D1001
1 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1006
3 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1002
1 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1007
4 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1003
2 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1008
4 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1004
2 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1010
Doorbell Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1005
3 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1009
HalfWay Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1117
Curtain Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1017
Lighting Dimmer Switch
250V~50/60Hz
LED 250W
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1011
UK Socket with Double pole Switch
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1018
Fan Speed Control Switch
500W 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1013
UK Socket with Double pole Switch and Indicators
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1019
Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1012
UK Socket
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1021
TV Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1014
USB Socket and UK Socket
13A 250V~50/60Hz
USB Output:5V 1.5A
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1020
TV + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1025
Cat 6 Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4047
Infrared Human Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1022
Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1028
Empty Panel
15/150pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1015
20A Double pole Switch
20A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1024
Double Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1016
45A Double pole Switch
45A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1023
Tel + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4046
Key Card Switch
20A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1026
Cat 6 + Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1027
Double Cat 6 Socket

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4206
Terminal Block
20A 250V~50/60Hz
45A 250V~50/60Hz
6/60pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4114
Emergency Lamp

8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1031
Double UK Socket with Switch
13A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1029
Voice & Light Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1030
45A Switch
45A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D4209
Double pole Switch with indicators and Fuse
13A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm




D1032
Empty Panel
10/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1218 / D1219
USB + Type-C with UK Socket
13A 250V~50/60Hz
USB Output:18W / 30W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1033
UK Socket + 45A Double pole Switch
13A 250V~50/60Hz
45A 250V~50/60Hz
6/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm





Pearl White



Large panel design



Flame retardant PC



Tin phosphor bronze



Four colors available

NOORCO
PLUS
Plano Series

Pearl White



D1001
1 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1006
3 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1002
1 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1007
4 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1003
2 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1008
4 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1004
2 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1010
Doorbell Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1005
3 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1009
HalfWay Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm

Pearl White



D1117
Curtain Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1017
Lighting Dimmer Switch
250V~50/60Hz
LED 250W
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1011
UK Socket with Double pole Switch
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1018
Fan Speed Control Switch
500W 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1013
UK Socket with Double pole Switch and Indicators
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1019
Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1012
UK Socket
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1021
TV Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1014
USB Socket and UK Socket
13A 250V~50/60Hz
USB Output:5V 1.5A
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1020
TV + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm

Pearl White



D1025
Cat 6 Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4047
Infrared Human Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1022
Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1028
Empty Panel
15/150pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1015
20A Double pole Switch
20A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1024
Double Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1016
45A Double pole Switch
45A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1023
Tel + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4046
Key Card Switch
20A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1026
Cat 6 + Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1027
Double Cat 6 Socket

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4206
Terminal Block
20A 250V~50/60Hz
45A 250V~50/60Hz
6/60pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4114
Emergency Lamp

8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1031
Double UK Socket with Switch
13A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1029
Voice & Light Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1030
45A Switch
45A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D4209
Double pole Switch with indicators and Fuse
13A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm




D1032
Empty Panel
10/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1218 / D1219
USB + Type-C with UK Socket
13A 250V~50/60Hz
USB Output:18W / 30W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1033
UK Socket + 45A Double pole Switch
13A 250V~50/60Hz
45A 250V~50/60Hz
6/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



Gray



Large panel design



Flame retardant PC



Tin phosphor bronze



Four colors available

NOORCO
PLUS
Plano Series



NOORCO
PLUS
Plano Series

Gray



D1001
1 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1006
3 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1002
1 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1007
4 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1003
2 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1008
4 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1004
2 Gang 2 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1010
Doorbell Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1005
3 Gang 1 Way Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1009
HalfWay Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1117
Curtain Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1017
Lighting Dimmer Switch
250V~50/60Hz
LED 250W
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1011
UK Socket with Double pole Switch
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1018
Fan Speed Control Switch
500W 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1013
UK Socket with Double pole Switch and Indicators
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1019
Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1012
UK Socket
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1021
TV Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1014
USB Socket and UK Socket
13A 250V~50/60Hz
USB Output:5V 1.5A
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1020
TV + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1025
Cat 6 Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4047
Infrared Human Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1022
Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1028
Empty Panel
15/150pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1015
20A Double pole Switch
20A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1024
Double Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1016
45A Double pole Switch
45A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1023
Tel + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4046
Key Card Switch
20A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1026
Cat 6 + Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1027
Double Cat 6 Socket

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4206
Terminal Block
20A 250V~50/60Hz
45A 250V~50/60Hz
6/60pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4114
Emergency Lamp

8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1031
Double UK Socket with Switch
13A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1029
Voice & Light Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1030
45A Switch
45A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D4209
Double pole Switch with indicators and Fuse
13A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm




D1032
Empty Panel
10/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1218 / D1219
USB + Type-C with UK Socket
13A 250V~50/60Hz
USB Output:18W / 30W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1033
UK Socket + 45A Double pole Switch
13A 250V~50/60Hz
45A 250V~50/60Hz
6/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



Black



Large
panel design



Flame
retardant PC



Tin phosphor
bronze



Four colors
available



NOORCO
PLUS
Plano Series

Black



D1001
1 Gang 1 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1006
3 Gang 2 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1002
1 Gang 2 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1007
4 Gang 1 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1003
2 Gang 1 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1008
4 Gang 2 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1004
2 Gang 2 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1010
Doorbell Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1005
3 Gang 1 Way Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1009
HalfWay Switch

10A 250V~50/60Hz

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1117
Curtain Switch
10A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1017
Lighting Dimmer Switch
250V~50/60Hz
LED 250W
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1011
UK Socket with Double pole Switch
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1018
Fan Speed Control Switch
500W 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1013
UK Socket with Double pole Switch and Indicators
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1019
Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1012
UK Socket
13A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1021
TV Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1014
USB Socket and UK Socket
13A 250V~50/60Hz
USB Output:5V 1.5A
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1020
TV + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1025
Cat 6 Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4047
Infrared Human Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1022
Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1028
Empty Panel
15/150pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1015
20A Double pole Switch
20A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1024
Double Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1016
45A Double pole Switch
45A 250V~50/60Hz
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1023
Tel + Satellite Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4046
Key Card Switch
20A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1026
Cat 6 + Tel Socket
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1027
Double Cat 6 Socket

10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4206
Terminal Block
20A 250V~50/60Hz
45A 250V~50/60Hz
6/60pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D4114
Emergency Lamp

8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1031
Double UK Socket with Switch
13A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1029
Voice & Light Sensor Switch
Induction distance:3~8M
Induction Angle:120°
Load Power: 1000W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1030
45A Switch
45A 250V~50/60Hz
5/50pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D4209
Double pole Switch with indicators and Fuse
13A 250V~50/60Hz
8/80pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1032
Empty Panel
10/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm



D1218 / D1219
USB + Type-C with UK Socket
13A 250V~50/60Hz
USB Output:18W / 30W
10/100pcs/ctn
49.5*37.5*19.5CM
86mm*86mm



D1033
UK Socket + 45A Double pole Switch
13A 250V~50/60Hz
45A 250V~50/60Hz
5/100pcs/ctn
49.5*37.5*19.5CM
146mm*86mm

