



مشکاتی  
Meshkati

# LED Chandelier Lighting Product CATALOGUE

 8004300030

2023 - 2024



Model  
MD2795M

Input:  
AC220-240V  
50/60Hz

Power:50W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C







Model  
MD2795MS

Input:  
AC220-240V  
50/60Hz

Power:96W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C



RoHS





Model  
MD2795LMS

Input:  
AC220-240V  
50/60Hz

Power:145W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2890A-60

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
MD2890A-80

Input:  
AC220-240V  
50/60Hz

Power:65W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold




ta:40°C



RoHS





Model  
MD2910-30-1

Input:  
AC220-240V  
50/60Hz

Power:24W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
MD2910-40

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
MD2918A-60

Input:  
AC220-240V  
50/60Hz

Power:76W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C







Model  
MD2918B-40

Input:  
AC220-240V  
50/60Hz

Power:38W


CCT:3000K

Ra≥80

Installation:  
Ceiling


IP20

Color:  
Black+Gold



ta:40°C





Model  
MD2918B-60

Input:  
AC220-240V  
50/60Hz

Power:76W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C







Model  
MD2918B-80

Input:  
AC220-240V  
50/60Hz

Power:102W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2948A-BK

Input:  
AC220-240V  
50/60Hz

Power:46W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
MD2948B-BK

Input:  
AC220-240V  
50/60Hz

Power:28W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
MX2982-50

Input:  
AC220-240V  
50/60Hz

Power:36W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2982-60A

Input:  
AC220-240V  
50/60Hz

Power:36W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2982-80A

Input:  
AC220-240V  
50/60Hz

Power:52W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2982-80B

Input:  
AC220-240V  
50/60Hz

Power:52W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2982-80-2

Input:  
AC220-240V  
50/60Hz

Power:86W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold




ta:40°C



RoHS





Model  
MD2982-50-3

Input:  
AC220-240V  
50/60Hz

Power:96W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2982-60+50

Input:  
AC220-240V  
50/60Hz

Power:76W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold




ta:40°C



RoHS





Model  
MD2983-L100

Input:  
AC220-240V  
50/60Hz

Power:52W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold




ta:40°C



RoHS





Model  
MD2983-80+40

Input:  
AC220-240V  
50/60Hz

Power:76W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2986-L100

Input:  
AC220-240V  
50/60Hz

Power:29W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2986-60

Input:  
AC220-240V  
50/60Hz

Power:29W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2986-80

Input:  
AC220-240V  
50/60Hz

Power:43W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MD2986-100+60

Input:  
AC220-240V  
50/60Hz

Power:86W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold




ta:40°C



RoHS





Model  
MX2986-60

Input:  
AC220-240V  
50/60Hz

Power:29W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MX2986-80

Input:  
AC220-240V  
50/60Hz

Power:43W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
CL-006-1-500

Power:24W

Model  
CL-006-1-800

Power:30W

Model  
CL-006-1-1200

Power:45W

Input:  
AC220-240V  
50/60Hz


CCT:  
3000K-4000K-6500K

Ra≥80

Installation:  
Ceiling

IP20


Color:Copper



ta:40°C







Model  
CL-006-2-800+600

Power:53W

Model  
CL-006-2-1200

Power:65W

Input:  
AC220-240V  
50/60Hz


CCT:  
3000K-4000K-6500K

Ra≥80

Installation:  
Ceiling

IP20

Color:Copper



ta:40°C







Model  
CL-008-2-60

Power:30W

Model  
CL-008-2-80

Power:50W

Model  
CL-008-2-100

Power:80W

Input:  
AC220-240V  
50/60Hz


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
CL-008-3-60

Power:30W

Model  
CL-008-3-80

Power:50W

Model  
CL-008-3-100

Power:80W

Input:  
AC220-240V  
50/60Hz


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Copper




ta:40°C



RoHS





Model  
CL-014-01-690

Socket:  
6\*E14 MAX 40W

Model  
CL-014-01-890


Socket:  
8\*E14 MAX 40W

Input:  
AC100-240V  
50/60Hz

Installation:  
Ceiling

IP20


Color:  
Black+Copper



ta:40°C







Model  
CL-640-6


Input:  
AC100-240V  
50/60Hz

Power:  
6\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Copper



ta:40°C







Model  
CL-864

Input:  
AC220-240V  
50/60Hz

Power:75W


CCT:3000K

Ra:≥80

Installation:  
Ceiling

IP20


Color:Copper



ta:40°C







Model  
CL-580685-B


Input:  
AC100-240V  
50/60Hz

Power:  
6\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:  
Blue+Gold



ta:40°C







Model  
CL-580685-G


Input:  
AC100-240V  
50/60Hz

Power:  
6\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
CL-685800-B


Input:  
AC100-240V  
50/60Hz

Power:  
8\*E27 MAX 40W

Installation:  
Ceiling

IP20

Color:  
Blue+Gold



ta:40°C







Model  
CL-685800-G


Input:  
AC100-240V  
50/60Hz

Power:  
8\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
CL-685900-B


Input:  
AC100-240V  
50/60Hz

Power:  
10\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:  
Blue+Gold



ta:40°C







Model  
CL-685900-G


Input:  
AC100-240V  
50/60Hz

Power:  
10\*E27 MAX 40W

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
CL-007-01-600

Input:  
AC220-240V  
50/60Hz

Power:40W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
CL-007-01-800

Input:  
AC220-240V  
50/60Hz

Power:60W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
CL-007-01-1000

Input:  
AC220-240V  
50/60Hz

Power:70W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
CL-007-02-600

Input:  
AC220-240V  
50/60Hz

Power:27W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
France Gold



ta:40°C







Model  
CL-007-02-800

Input:  
AC220-240V  
50/60Hz

Power:55W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
France Gold



ta:40°C







Model  
CL-007-02-1000

Input:  
AC220-240V  
50/60Hz

Power:110W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
France Gold



ta:40°C







Model  
CL-007-03-4+6+8

Input:  
AC220-240V  
50/60Hz

Power:60W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
CL-007-03-6+8+10

Input:  
AC220-240V  
50/60Hz

Power:72W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
ALP-TY-1323-B


Input:  
AC100-240V  
50/60Hz

Power:  
8\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
MD8037-400

Input:  
AC220-240V  
50/60Hz

Power:42W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
MD8037-600

Input:  
AC220-240V  
50/60Hz

Power:50W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
MD20002-60

Input:  
AC220-240V  
50/60Hz

Power:72W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C



RoHS





Model  
MD20002-80

Input:  
AC220-240V  
50/60Hz

Power:96W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
YD-1031-6


Input:  
AC100-240V  
50/60Hz

Power:  
6\*G9 MAX 40W

Installation:  
Ceiling

IP20


Color:Copper



ta:40°C







Model  
YD-1031-8


Input:  
AC100-240V  
50/60Hz

Power:  
8\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Copper



ta:40°C







Model  
YD-1033-4

Input:  
AC220-240V  
50/60Hz

Power:20W


CCT:  
3000K-4000K-6500K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
YD-1033-8

Input:  
AC220-240V  
50/60Hz

Power:40W


CCT:  
3000K-4000K-6500K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black




ta:40°C







YD-1034



Model  
YD-1034

Input:  
AC220-240V  
50/60Hz

Power:20W


CCT:  
3000K-4000K-6500K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black




ta:40°C



RoHS





Model  
YD-2112


Input:  
AC100-240V  
50/60Hz

Power:  
8\*G9 MAX 40W

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
YD-2162

Input:  
AC220-240V  
50/60Hz

Power:20W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold




ta:40°C



RoHS





Model  
YD-2170-8


Input:  
AC100-240V  
50/60Hz

Socket:  
8\*G9 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
YD-2170-12


Input:  
AC100-240V  
50/60Hz

Socket:  
12\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
YD-5038

Input:  
AC220-240V  
50/60Hz

Power:40W


CCT:  
3000K-4000K-6500K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Silver/Gold




ta:40°C



RoHS





Model  
YD-5030


Input:  
AC100-240V  
50/60Hz

Power:  
10\*E27 MAX 40W

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
YD-8003-80

Power:80W

Model  
YD-8003-100

Power:90W

Input:  
AC220-240V  
50/60Hz


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold




ta:40°C



RoHS





Model  
YD-8016-60-BK

Power:30W

Model  
YD-8016-80-BK

Power:40W

Model  
YD-8016-120-BK

Power:60W

Input:  
AC220-240V  
50/60Hz


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black




ta:40°C



RoHS





Model  
YD-8016-100-BK

Input:  
AC220-240V  
50/60Hz

Power:15W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C



RoHS





Model  
YD-8016-100-GD

Input:  
AC220-240V  
50/60Hz

Power:15W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
ME2023A

Input:  
AC220-240V  
50/60Hz

Power:45W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Silver



ta:40°C







Model  
ME2024A

Input:  
AC220-240V  
50/60Hz

Power:38W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Silver




ta:40°C



RoHS





Model  
ME2030B-80

Input:  
AC220-240V  
50/60Hz

Power:25W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Silver



ta:40°C



RoHS





Model  
ME2031B-100

Input:  
AC220-240V  
50/60Hz

Power:36W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Silver



ta:40°C







Model  
ME2032B-120

Input:  
AC220-240V  
50/60Hz

Power:45W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Silver



ta:40°C







Model  
ME2035A


Input:  
AC100-240V  
50/60Hz

Socket:  
6\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
ME2036A


Input:  
AC100-240V  
50/60Hz

Socket:  
12\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
ME2037A

Input:  
AC220-240V  
50/60Hz

Power:20W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
ME2038A

Input:  
AC220-240V  
50/60Hz

Power:30W



CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
ME2046A-BK

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black




ta:40°C



RoHS





Model  
ME2047A-BK

Input:  
AC220-240V  
50/60Hz

Power:45W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black




ta:40°C



RoHS





Model  
ME2048A-BK

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
ME2032B-GD

Input:  
AC220-240V  
50/60Hz

Power:36W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C



RoHS





Model  
ME2034B-GD

Input:  
AC220-240V  
50/60Hz

Power:36W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
ME2035B

Input:  
AC220-240V  
50/60Hz

Power:140W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Brown



ta:40°C







Model  
ME2036B

Input:  
AC220-240V  
50/60Hz

Power:110W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Brown




ta:40°C



RoHS





Model  
ME2037B

Input:  
AC220-240V  
50/60Hz

Power:65W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Brown




ta:40°C



RoHS





Model  
ME2038B

Input:  
AC220-240V  
50/60Hz

Power:45W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Brown



ta:40°C







Model  
ME2058B

Power:53W

Model  
ME2059B-80

Power:53W

Input:  
AC220-240V  
50/60Hz


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
ME2064A

Input:  
AC220-240V  
50/60Hz

Power:50W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
ME2051B

Input:  
AC220-240V  
50/60Hz

Power:58W

CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
ME2065A

Input:  
AC220-240V  
50/60Hz

Power:112W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
29009-20

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
29008-20

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
29008-30

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
ALP-BL-1016-A

Input:  
AC220-240V  
50/60Hz

Power:5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Transparent




ta:40°C



RoHS





Model  
ALP-BL-1016-B

Input:  
AC220-240V  
50/60Hz

Power:5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Transparent



ta:40°C







Model  
ALP-BL-1016-C

Input:  
AC220-240V  
50/60Hz

Power:5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Transparent




ta:40°C



RoHS





Model  
ALP-BL-1016-D

Input:  
AC220-240V  
50/60Hz

Power:5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Transparent



ta:40°C



RoHS





Model  
ALP-HXD-1110


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*GU10 MAX 40W

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
ALP-HXD-1116

Input:  
AC220-240V  
50/60Hz

Power:6W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
ALP-HXD-1125-2

Model  
ALP-HXD-1125-3


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*G9 MAX 40W

Installation:  
Ceiling

IP20


Color:Silver



ta:40°C







Model  
ALP-SZ-1402


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Yellow



ta:40°C







Model  
ALP-SZ-1402-A


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Yellow



ta:40°C







Model  
MD2955-1A-BK

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
MD2955-1A-G

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
ALP-HXD-1126


Input:  
AC100-240V  
50/60Hz

Power:  
1\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
ALP-HXD-1129-1


Input:  
AC100-240V  
50/60Hz

Power:  
1\*GU10 MAX 40W

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
ALP-HXD-1210


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
ALP-TY-1343-A


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
ALP-TY-1343-B


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
ALP-TV-1343-C


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
ALP-TY-1343-D


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
CL-120-1


Input:  
AC100-240V  
50/60Hz

Power:  
1\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Copper



ta:40°C







Model  
YD-9007

Input:  
AC220-240V  
50/60Hz

Power:5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C



RoHS





Model  
YD-9015

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
YD-9015-140

Input:  
AC220-240V  
50/60Hz

Power:60W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C



RoHS





Model  
YD-9015-220

Input:  
AC220-240V  
50/60Hz

Power:80W



CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C







Model  
YD9020

Input:  
AC220-240V  
50/60Hz

Power:15W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Wood



ta:40°C



RoHS





Model  
YD-A2067-3


Input:  
AC100-240V  
50/60Hz

Power:  
3\*E14 MAX 40W

Installation:  
Ceiling

IP20

Color:  
Dark Gray



ta:40°C







Model  
YD-A2066-150


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E14 MAX 40W

Installation:  
Ceiling

IP20


Color:  
Dark Gray



ta:40°C







Model  
YD-A2068-5


Input:  
AC100-240V  
50/60Hz

Power:  
3\*E14+  
2\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:  
Dark Gray



ta:40°C







Model  
YD-A2069

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
YD-A2073


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27+  
1\*G9 MAX 40W

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
MD2994-K

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
MD2994-L

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
YD-2001-150


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E14 MAX 40W

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
YD-2001-200


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E14 MAX 40W

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
YD-2001-250


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E14 MAX 40W

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
YD-2038-200


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Copper



ta:40°C







Model  
YD-2137-21cm

Model  
YD-2137-35cm


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:Black



ta:40°C







Model  
YD-2143


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
ME2078B


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20


Color:  
Red copper



ta:40°C







Model  
ME2080B


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Ceiling

IP20

Color:  
Red copper



ta:40°C



RoHS





Model  
YD-D8036-3

Input:  
AC220-240V  
50/60Hz

Power:32W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C







Model  
YD-D8037-5

Input:  
AC220-240V  
50/60Hz

Power:46W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Black



ta:40°C



RoHS





Model  
YD-3126-6

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
YD-3126-9

Input:  
AC220-240V  
50/60Hz

Power:45W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C







Model  
CL-016-01-black

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
White+Black



ta:40°C







Model  
CL-016-01-green

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
White+Green



ta:40°C







Model  
CL-016-01-pink

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
White+Pink



ta:40°C







Model  
CL-016-01-white

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:White



ta:40°C







Model  
MX55

Input:  
AC220-240V  
50/60Hz

Power:40+5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MX56

Input:  
AC220-240V  
50/60Hz

Power:32+5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MX67C

Input:  
AC220-240V  
50/60Hz

Power:40+5W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
White+Gold



ta:40°C







Model  
MX2963-3D

Input:  
AC220-240V  
50/60Hz

Power:30W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Rose Gold



ta:40°C







Model  
MX2964-40A

Input:  
AC220-240V  
50/60Hz

Power:40W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Rose Gold



ta:40°C







Model  
MX2983-60A

Input:  
AC220-240V  
50/60Hz

Power:52W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:  
Black+Gold



ta:40°C







Model  
MX2983-90

Input:  
AC220-240V  
50/60Hz

Power:64W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:  
Black+Gold



ta:40°C







Model  
MX8037-400

Input:  
AC220-240V  
50/60Hz

Power:42W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20


Color:Gold



ta:40°C







Model  
MX8037-600

Input:  
AC220-240V  
50/60Hz

Power:50W


CCT:3000K

Ra≥80

Installation:  
Ceiling

IP20

Color:Gold



ta:40°C







Model  
ALP-D-195


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
ALP-D-200


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Gold



ta:40°C







Model  
CL-245

Input:  
AC100-240V  
50/60Hz


USB Output:  
5V-2A 10W

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
LH-929

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Copper



ta:40°C







Model  
LH-1630

Input:  
AC220-240V  
50/60Hz

Power:6W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Black



ta:40°C



RoHS





Model  
LH-3038


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Wall

IP20


Color:Black



ta:40°C







Model  
LH-3039-gold

Input:  
AC220-240V  
50/60Hz

Power:3W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Gold



ta:40°C



RoHS





Model  
LH-3039-black

Input:  
AC220-240V  
50/60Hz

Power:3W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Black



ta:40°C



RoHS





Model  
LH-88008-Black


Input:  
AC100-240V  
50/60Hz

Socket:  
2\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
LH-88008-Yellow


Input:  
AC100-240V  
50/60Hz

Socket:  
2\*E27 MAX 40W

Installation:  
Wall

IP20


Color:Copper



ta:40°C







Model  
LH-88036-2


Input:  
AC100-240V  
50/60Hz

Socket:  
2\*E14 MAX 40W

Installation:  
Wall

IP20

Color:Copper



ta:40°C







Model  
LH-88043


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E14 MAX 40W

Installation:  
Wall

IP20

Color:Copper



ta:40°C







Model  
LH-88051-gold

Model  
LH-88051-black


Input:  
AC100-240V  
50/60Hz

Socket:  
2\*E27 MAX 40W

Installation:  
Wall

IP20


Color:  
Gold/Black



ta:40°C







Model  
MB2955-1A-BK

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20


Color:Black



ta:40°C







Model  
MB2955-1A-G

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Gold




ta:40°C



RoHS





Model  
MB3591-40-BK

Power:8W

Model  
MB3591-60-BK

Power:12W

Model  
MB3591-80-BK

Power:16W

Model  
MB3591-100-BK

Power:20W

Input:  
AC220-240V  
50/60Hz

Installation:  
Wall

IP20


Color:Black



ta:40°C







Model  
MB3591-40-WH

Power:8W

Model  
MB3591-60-WH

Power:12W

Model  
MB3591-80-WH

Power:16W

Model  
MB3591-100-WH

Power:20W

Input:  
AC220-240V  
50/60Hz

Installation:  
Wall

IP20


Color:White



ta:40°C







Model  
MB4154-3+1

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20



Color:Black



ta:40°C







Model  
MB4154-A2+1-BK

Input:  
AC220-240V  
50/60Hz

Power:7W

CCT:3000K

Ra≥80

Installation:  
Wall

IP20



Color:Black



ta:40°C







Model  
MB4154-A2+1-BK-G

Input:  
AC220-240V  
50/60Hz

Power:7W

CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:  
Black+Gold



ta:40°C







Model  
MB4154-B2+1-BK

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
MB4154-B2+1-BK-G

Input:  
AC220-240V  
50/60Hz

Power:8W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:  
Black+Gold



ta:40°C







Model  
WL-40


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20


Color: Copper



ta:40°C







Model  
WL-505

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra:≥80

Installation:  
Wall

IP20


Color:Gold



ta:40°C







Model  
WL-1560


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20


Color:Copper



ta:40°C







Model  
WL-4015


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Copper



ta:40°C







Model  
WL-6014-BK


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
WL-6014-G


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Gold



ta:40°C







Model  
WL-6530


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20


Color:Gold



ta:40°C







Model  
WL-161241


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20

Color:Copper



ta:40°C







Model  
WL-163041


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Wall

IP20


Color:Copper



ta:40°C







Model  
WL-8065070

Input:  
AC220-240V  
50/60Hz

Power:3W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:  
Copper+India Green




ta:40°C



RoHS





Model  
YD-3110

Input:  
AC220-240V  
50/60Hz

Power:12W


CCT:3000K

Ra:≥80

Installation:  
Wall

IP20

Color:Copper



ta:40°C







Model  
YD-3143-BK


Input:  
AC100-240V  
50/60Hz

Power:  
3\*G9 MAX 40W

Installation:  
Wall

IP20


Color:Black



ta:40°C







Model  
YD-3143-G


Input:  
AC100-240V  
50/60Hz

Power:  
3\*G9 MAX 40W

Installation:  
Wall

IP20

Color:Gold



ta:40°C







Model  
ME2066A

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
ME2067B

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Gold



ta:40°C







Model  
ME2044A

Input:  
AC220-240V  
50/60Hz

Power:24W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20


Color:Black



ta:40°C







Model  
ME2070B

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Gold



ta:40°C





Model  
ME2071B

Input:  
AC220-240V  
50/60Hz

Power:14W



CCT:3000K

Ra≥80

Installation:  
Wall

IP20


Color:Gold



ta:40°C







Model  
ME2028B

Input:  
AC220-240V  
50/60Hz

Power:7W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20


Color:Silver



ta:40°C







Model  
ME2029B

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20



Color:Silver



ta:40°C







Model  
ME2033A

Input:  
AC220-240V  
50/60Hz

Power:12W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Gold



ta:40°C



RoHS





Model  
ME2039A

Input:  
AC220-240V  
50/60Hz

Power:12W



CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
ME2042A-BK

Input:  
AC220-240V  
50/60Hz

Power:25W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Black



ta:40°C







Model  
ME2030B-GD

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Wall

IP20

Color:Gold



ta:40°C



RoHS





Model  
HL026T-Black


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Table

IP20

Color:Black



ta:40°C







Model  
HLO26T-Brown


Input:  
AC100-240V  
50/60Hz

Socket:  
1\*E27 MAX 40W

Installation:  
Table

IP20

Color:Brown



ta:40°C







Model  
YD-7003-15


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E14 MAX 40W

Installation:  
Table

IP20

Color:Gold



ta:40°C







Model  
YD-7003-25


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Table

IP20

Color:Gold



ta:40°C







Model  
YD-8054


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ground

IP20

Color:Black



ta:40°C







Model  
YD-8013


Input:  
AC100-240V  
50/60Hz

Power:  
2\*E27 MAX 40W

Installation:  
Ground

IP20


Color:Black



ta:40°C







Model  
YD-A-7017

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Ground

IP20


Color:Gold



ta:40°C







Model  
YD-A-8013

Input:  
AC220-240V  
50/60Hz

Power:20W


CCT:3000K

Ra≥80

Installation:  
Ground

IP20

Color:Gold



ta:40°C







Model  
YD-B-8012

Input:  
AC220-240V  
50/60Hz

Power:20W


CCT:3000K

Ra≥80

Installation:  
Ground

IP20

Color:Gold



ta:40°C




RoHS



Model  
ME2029A-GD



- Retro speaker with LED lamp**
- \* Bluetooth Version: Jieli 5.0
  - \* TOUCH function to adjust the light
  - \* Bluetooth working distance: 10meters
  - \* Play music via Bluetooth
  - \* Working current: 500mah
  - \* Input voltage: 5V 2A
  - \* Speaker power output: 6W\*1
  - \* Speaker size: 52mm 3Ω 6W
  - \* Battery: 1500 mAh 18650 with protection board
  - \* LED control mode: 3 level LED
  - \* Speaker play time:3-4 hours
  - \* LED Lamp Lighting Time: 8-10 hours
  - \* Battery full charge time: 3~4hours



ta:40°C







Model  
L-2105

Input:  
AC220-240V  
50/60Hz

Power:10W


CCT:3000K

Ra≥80

Installation:  
Ground

IP20

Color:Black



ta:40°C







Model  
L-8011


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ground

IP20

Color:Black



ta:40°C



RoHS





Model  
L-0182


Input:  
AC100-240V  
50/60Hz

Power:  
1\*E27 MAX 40W

Installation:  
Ground

IP20


Color:Black



ta:40°C







Model  
QQD-10m-100-4.5w-3000K

Input:  
AC220-240V  
50/60Hz

Power:4.5W


CCT:3000K

Ra≥80

Installation:  
Hanging

IP20

Color:  
Blue+Gray+White



ta:40°C







Model  
NR-10M-4.5W-3000K-IP54

Input:  
AC220-240V  
50/60Hz

Power:4.5W


CCT:3000K

Ra≥80

Installation:  
Hanging

IP20

Color:White



ta:40°C







Model  
NR-2.5M-4.5W-3000K-IP54

Input:  
AC220-240V  
50/60Hz

Power:4.5W


CCT:3000K

Ra≥80

Installation:  
Hanging

IP20

Color:White



ta:40°C



RoHS