

**NOORCO**  
**PLUS**  
Plano Series



# Product Catalogue



CB



RoHS



SASO

IECEE



8004300030

# ABOUT NOORCO PLUS

NOORCO PLUS brings the best of international quality to your home, office, leisure environments. The range encompasses futuristic design with cutting edge technology. Easy of installation have been considered in developing this range.

The design has graceful curves that blend well with surfaces, a significant departure from the boxed-in look available in the market. This elegant simplicity sets new standards in the design of accessories.



## CB Certificate



## Certifications



White



Large panel design



Flame retardant PC



Tin phosphor bronze



Four colors available



**NOORCO**  
**PLUS**  
Plano Series

**NOORCO**  
**PLUS**  
Plano Series

White



**D1001**  
**1 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1006**  
**3 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1002**  
**1 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
**4 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
**2 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1008**  
**4 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1004**  
**2 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1010**  
**Doorbell Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1005**  
**3 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1009**  
**HalfWay Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1117**  
**Curtain Switch**  
10A 250V~50/60Hz,  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1017**  
**Lighting Dimmer Switch**  
250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1011**  
**UK Socket with Double pole Switch**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1018**  
**Fan Speed Control Switch**  
500W 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1013**  
**UK Socket with Double pole Switch and Indicators**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1019**  
**Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1012**  
**UK Socket**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1021**  
**TV Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1014**  
**USB Socket and UK Socket**  
13A 250V~50/60Hz  
USB Output:5V 1.5A  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1020**  
**TV + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1025**  
**Cat 6 Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4047**  
**Infrared Human Sensor Switch**  
Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1022**  
**Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1028**  
**Empty Panel**  
15/150pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1015**  
**20A Double pole Switch**  
20A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1024**  
**Double Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1016**  
**45A Double pole Switch**  
45A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1023**  
**Tel + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4046**  
**Key Card Switch**  
20A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1026**  
**Cat 6 + Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1027**  
**Double Cat 6 Socket**

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4206**  
**Terminal Block**

20A 250V~50/60Hz  
45A 250V~50/60Hz  
6/60pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1222**  
**Emergency Lamp**

8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1031**  
**Double UK Socket with Switch**

13A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1029**  
**Voice & Light Sensor Switch**  
Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1030**  
**45A Switch**

45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1223**  
**Double pole Switch with indicators and Fuse**

13A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1032**  
**Empty Panel**





10/100pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm




**D1218 / D1219**  
**USB + Type-C with UK Socket**  
13A 250V~50/60Hz  
USB Output:18W / 30W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1033**  
**UK Socket + 45A Double pole Switch**  
13A 250V~50/60Hz  
45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm






**F1231**  
2 Way Frame  
(Horizontal)

250 pcs/ctn  
49.5\*37.5\*19.5CM  
168mm\*86mm




**F1232**  
3 Way Frame  
(Horizontal)

160 pcs/ctn  
49.5\*37.5\*19.5CM  
250mm\*86mm



**F1233**  
4 Way Frame  
(Horizontal)

120 pcs/ctn  
49.5\*37.5\*19.5CM  
332mm\*86mm



**D1227**  
2 Way Frame  
(Vertical)

250 pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*168mm



**D1001**  
1 Gang 1 Way Switch  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
2 Gang 1 Way Switch  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1005**  
3 Gang 1 Way Switch  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
4 Gang 1 Way Switch  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1017**  
Lighting Dimmer Switch  
250V~50/60Hz  
LED 250W

8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1011**  
UK Socket with Double  
pole Switch  
13A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**F1227**  
1 Way Switch Button  
Cover

Size:  
81.5mm\*18mm\*81.5mm



**F1228**  
2 Way Switch Button  
Cover


Size:  
40mm\*18mm\*81.5mm\*2



**F1229**  
3 Way Switch Button  
Cover


Size:  
26mm\*18mm\*81.5mm\*3

White



**F1330**  
4 Way Switch Button  
Cover

Size:  
20mm\*18mm\*81.5mm\*4



**F1225**  
UK Socket with Double  
pole Switch Cover

Size:  
86mm\*86mm



**F1226**  
Dimming Switch/  
Speed Control Switch  
Surface Cover

Size:  
86mm\*86mm



**D1056**  
Box Connector

Size:  
Ø23mm\*18mm



**D1055**  
Box Connector

Size:  
Ø29mm\*18mm





## Pearl White



Large panel design



Flame retardant PC



Tin phosphor bronze



Four colors available

**NOORCO**  
**PLUS**  
Plano Series

## Pearl White



**D1001**  
**1 Gang 1 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1006**  
**3 Gang 2 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1002**  
**1 Gang 2 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
**4 Gang 1 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
**2 Gang 1 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1008**  
**4 Gang 2 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1004**  
**2 Gang 2 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1010**  
**Doorbell Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1005**  
**3 Gang 1 Way Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1009**  
**HalfWay Switch**

10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



Pearl White



**D1117**  
**Curtain Switch**  
10A 250V~50/60Hz,  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1017**  
**Lighting Dimmer Switch**  
250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1011**  
**UK Socket with Double pole Switch**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1018**  
**Fan Speed Control Switch**  
500W 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1013**  
**UK Socket with Double pole Switch and Indicators**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1019**  
**Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1012**  
**UK Socket**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1021**  
**TV Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1014**  
**USB Socket and UK Socket**  
13A 250V~50/60Hz  
USB Output:5V 1.5A  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1020**  
**TV + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm

Pearl White



**D1025**  
**Cat 6 Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4047**  
**Infrared Human Sensor Switch**  
Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1022**  
**Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1028**  
**Empty Panel**  
15/150pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1015**  
**20A Double pole Switch**  
20A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1024**  
**Double Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1016**  
**45A Double pole Switch**  
45A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1023**  
**Tel + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4046**  
**Key Card Switch**  
20A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1026**  
**Cat 6 + Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1027**  
**Double Cat 6 Socket**

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4206**  
**Terminal Block**

20A 250V~50/60Hz  
45A 250V~50/60Hz  
6/60pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1222**  
**Emergency Lamp**

8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1031**  
**Double UK Socket with Switch**

13A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1029**  
**Voice & Light Sensor Switch**  
Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1030**  
**45A Switch**

45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1223**  
**Double pole Switch with indicators and Fuse**  
13A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1032**  
**Empty Panel**


10/100pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm




**D1218 / D1219**  
**USB + Type-C with UK Socket**  
13A 250V~50/60Hz  
USB Output:18W / 30W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1033**  
**UK Socket + 45A Double pole Switch**  
13A 250V~50/60Hz  
45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm




Pearl White




**F1231-6**  
2 Way Frame  
(Horizontal)

250 pcs/ctn  
49.5\*37.5\*19.5CM  
168mm\*86mm




**F1232-6**  
3 Way Frame  
(Horizontal)

160 pcs/ctn  
49.5\*37.5\*19.5CM  
250mm\*86mm



**F1233-6**  
4 Way Frame  
(Horizontal)

120 pcs/ctn  
49.5\*37.5\*19.5CM  
332mm\*86mm



**D1227-6**  
2 Way Frame  
(Vertical)

250 pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*168mm



**D1001**  
1 Gang 1 Way Switch  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
2 Gang 1 Way Switch

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm

Pearl White



**D1005**  
3 Gang 1 Way Switch

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
4 Gang 1 Way Switch

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1017-6**  
Lighting Dimmer Switch

250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1011**  
UK Socket with Double  
pole Switch

13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**F1227-6**  
1 Way Switch Button  
Cover

Size:  
81.5mm\*18mm\*81.5mm



**F1228-6**  
2 Way Switch Button  
Cover


Size:  
40mm\*18mm\*81.5mm\*2



**F1229-6**  
3 Way Switch Button  
Cover


Size:  
26mm\*18mm\*81.5mm\*3

**Pearl White**



**F1330-6**  
4 Way Switch Button  
Cover

Size:  
20mm\*18mm\*81.5mm\*4



**F1225-6**  
UK Socket with Double  
pole Switch Cover

Size:  
86mm\*86mm



**F1226-6**  
Dimming Switch/  
Speed Control Switch  
Surface Cover

Size:  
86mm\*86mm



**D1056**  
Box Connector

Size:  
Ø23mm\*18mm



**D1055**  
Box Connector

Size:  
Ø29mm\*18mm



Gray



Large panel design




Flame retardant PC



Tin phosphor bronze



Four colors available



**NOORCO**  
**PLUS**  
Plano Series

**NOORCO**  
**PLUS**  
Plano Series

Gray



**D1001**  
**1 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1006**  
**3 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1002**  
**1 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
**4 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
**2 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1008**  
**4 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1004**  
**2 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1010**  
**Doorbell Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1005**  
**3 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1009**  
**HalfWay Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1117**  
**Curtain Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1017**  
**Lighting Dimmer Switch**  
250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1011**  
**UK Socket with Double pole Switch**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1018**  
**Fan Speed Control Switch**  
500W 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1013**  
**UK Socket with Double pole Switch and Indicators**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1019**  
**Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1012**  
**UK Socket**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1021**  
**TV Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1014**  
**USB Socket and UK Socket**  
13A 250V~50/60Hz  
USB Output:5V 1.5A  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1020**  
**TV + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1025**  
**Cat 6 Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4047**  
**Infrared Human Sensor Switch**  
Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1022**  
**Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1028**  
**Empty Panel**  
15/150pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1015**  
**20A Double pole Switch**  
20A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1024**  
**Double Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1016**  
**45A Double pole Switch**  
45A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1023**  
**Tel + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4046**  
**Key Card Switch**  
20A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1026**  
**Cat 6 + Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1027**  
**Double Cat 6 Socket**

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4206**  
**Terminal Block**

20A 250V~50/60Hz  
45A 250V~50/60Hz  
6/60pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1222**  
**Emergency Lamp**

8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1031**  
**Double UK Socket with Switch**

13A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1029**  
**Voice & Light Sensor Switch**

Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1030**  
**45A Switch**

45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1223**  
**Double pole Switch with indicators and Fuse**

13A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1032**  
**Empty Panel**

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm







**D1218 / D1219**  
**USB + Type-C with UK Socket**

13A 250V~50/60Hz  
USB Output:18W / 30W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1033**  
**UK Socket + 45A Double pole Switch**

13A 250V~50/60Hz  
45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm




Gray




**F1231-7**  
2 Way Frame  
(Horizontal)

250 pcs/ctn  
49.5\*37.5\*19.5CM  
168mm\*86mm




**F1232-7**  
3 Way Frame  
(Horizontal)

160 pcs/ctn  
49.5\*37.5\*19.5CM  
250mm\*86mm



**F1233-7**  
4 Way Frame  
(Horizontal)

120 pcs/ctn  
49.5\*37.5\*19.5CM  
332mm\*86mm



**D1227-7**  
2 Way Frame  
(Vertical)

250 pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*168mm



**D1001**  
1 Gang 1 Way Switch  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
2 Gang 1 Way Switch

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm

Gray



**D1005**  
3 Gang 1 Way Switch

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
4 Gang 1 Way Switch

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1017-7**  
Lighting Dimmer Switch

250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1011**  
UK Socket with Double  
pole Switch

13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**F1227-7**  
1 Way Switch Button  
Cover

Size:  
81.5mm\*18mm\*81.5mm



**F1228-7**  
2 Way Switch Button  
Cover

Size:  
40mm\*18mm\*81.5mm\*2




**F1229-7**  
3 Way Switch Button  
Cover

Size:  
26mm\*18mm\*81.5mm\*3




Gray



**F1330-7**  
4 Way Switch Button  
Cover

Size:  
20mm\*18mm\*81.5mm\*4



**F1225-7**  
UK Socket with Double  
pole Switch Cover

Size:  
86mm\*86mm



**F1226-7**  
Dimming Switch/  
Speed Control Switch  
Surface Cover

Size:  
86mm\*86mm




**D1056**  
Box Connector

Size:  
Ø23mm\*18mm



**D1055**  
Box Connector

Size:  
Ø29mm\*18mm





# Black



Large panel design



Flame retardant PC



Tin phosphor bronze



Four colors available

**NOORCO**  
**PLUS**  
Plano Series

# Black



**D1001**  
**1 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1006**  
**3 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1002**  
**1 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
**4 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
**2 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1008**  
**4 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1004**  
**2 Gang 2 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1010**  
**Doorbell Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1005**  
**3 Gang 1 Way Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1009**  
**HalfWay Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1117**  
**Curtain Switch**  
10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1017**  
**Lighting Dimmer Switch**  
250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1011**  
**UK Socket with Double pole Switch**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1018**  
**Fan Speed Control Switch**  
500W 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1013**  
**UK Socket with Double pole Switch and Indicators**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1019**  
**Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1012**  
**UK Socket**  
13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1021**  
**TV Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1014**  
**USB Socket and UK Socket**  
13A 250V~50/60Hz  
USB Output:5V 1.5A  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1020**  
**TV + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1025**  
**Cat 6 Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4047**  
**Infrared Human Sensor Switch**  
Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1022**  
**Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1028**  
**Empty Panel**  
15/150pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1015**  
**20A Double pole Switch**  
20A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1024**  
**Double Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1016**  
**45A Double pole Switch**  
45A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1023**  
**Tel + Satellite Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4046**  
**Key Card Switch**  
20A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1026**  
**Cat 6 + Tel Socket**  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1027**  
**Double Cat 6 Socket**

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D4206**  
**Terminal Block**

20A 250V~50/60Hz  
45A 250V~50/60Hz  
6/60pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1222**  
**Emergency Lamp**

8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1031**  
**Double UK Socket with Switch**

13A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1029**  
**Voice & Light Sensor Switch**

Induction distance:3~8M  
Induction Angle:120°  
Load Power: 1000W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1030**  
**45A Switch**

45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm



**D1223**  
**Double pole Switch with indicators and Fuse**

13A 250V~50/60Hz  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1032**  
**Empty Panel**

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm







**D1218 / D1219**  
**USB + Type-C with UK Socket**

13A 250V~50/60Hz  
USB Output:18W / 30W  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1033**  
**UK Socket + 45A Double pole Switch**

13A 250V~50/60Hz  
45A 250V~50/60Hz  
5/50pcs/ctn  
49.5\*37.5\*19.5CM  
146mm\*86mm




**Black**




**F1231-8**  
**2 Way Frame**  
**(Horizontal)**

250 pcs/ctn  
49.5\*37.5\*19.5CM  
168mm\*86mm




**F1232-8**  
**3 Way Frame**  
**(Horizontal)**

160 pcs/ctn  
49.5\*37.5\*19.5CM  
250mm\*86mm



**F1233-8**  
**4 Way Frame**  
**(Horizontal)**

120 pcs/ctn  
49.5\*37.5\*19.5CM  
332mm\*86mm



**D1227-8**  
**2 Way Frame**  
**(Vertical)**

250 pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*168mm



**D1001**  
**1 Gang 1 Way Switch**  
10A 250V~50/60Hz

10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1003**  
**2 Gang 1 Way Switch**

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm

**Black**



**D1005**  
**3 Gang 1 Way Switch**

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm



**D1007**  
**4 Gang 1 Way Switch**

10A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1017-8**  
**Lighting Dimmer Switch**

250V~50/60Hz  
LED 250W  
8/80pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**D1011**  
**UK Socket with Double pole Switch**

13A 250V~50/60Hz  
10/100pcs/ctn  
49.5\*37.5\*19.5CM  
86mm\*86mm




**F1227-8**  
**1 Way Switch Button Cover**

Size:  
81.5mm\*18mm\*81.5mm



**F1228-8**  
**2 Way Switch Button Cover**


Size:  
40mm\*18mm\*81.5mm\*2



**F1229-8**  
**3 Way Switch Button Cover**

Size:  
26mm\*18mm\*81.5mm\*3

**Black**



**F1330-8**  
4 Way Switch Button  
Cover

Size:  
20mm\*18mm\*81.5mm\*4



**F1225-8**  
UK Socket with Double  
pole Switch Cover

Size:  
86mm\*86mm



**F1226-8**  
Dimming Switch/  
Speed Control Switch  
Surface Cover

Size:  
86mm\*86mm



**D1056**  
Box Connector

Size:  
Ø23mm\*18mm



**D1055**  
Box Connector

Size:  
Ø29mm\*18mm

